

CLAIMS

What is claimed is:

1. A classfile modification method, comprising:

modifying a classfile after said classfile has been compiled from source code, said classfile describing properties of a class within an object oriented environment, said modifying comprising:

modifying a method information structure by adding byte code instructions to the byte code instructions of said method information structure's respective method, said byte code instructions to cause a plug-in module's handler method to execute an output function for said method; and,

adding a method information structure that includes byte code instructions for registering the identities of said class and said method with a dispatch unit that is responsible for dispatching an invocation to said plug-in module during runtime execution of said modified byte code, said invocation directed to said dispatch unit from said added byte code instructions.

2. The classfile modification method of claim 1 wherein said identities are each in a character string format.

3. The classfile modification method of claim 2 wherein said modifying a classfile further comprises:

adding a field information structure, said field information structure
describing a field that is to store a numeric identifier of said class.

4. The classfile modification method of claim 3 wherein said numeric identifier is
provided to said class by a method of which said dispatch unit is comprised.

5. The classfile modification method of claim 1 wherein a portion of said byte
code instructions that are added to said method are for causing said plug-in
module's handler method to provide said output function treatment in response to
an entry point of said method being reached.

6. The classfile modification method of claim 5 wherein said output function
treatment is a function selected from the group consisting of:

- 1) recording a time of entry for said method;
- 2) recording an input parameter value for said method; and,
- 3) incrementing a counter for said method.

7. The classfile modification method of claim 1 wherein a portion of said byte
code instructions that are added to said method are for causing said plug-in
module's handler method to provide said output function treatment in response to
an exit point of said method being inevitably reached.

8. The classfile modification method of claim 7 wherein said output function treatment is a function selected from the group consisting of:

- 1) recording a time of entry for said method;
- 2) recording an input parameter value for said method; and,
- 3) incrementing a counter for said method.

9. The classfile modification method of claim 7 wherein portions of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to any exit point of said method being inevitably reached.

10. The classfile modification method of claim 1 wherein a portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to an error arising during execution of said method.

11. The classfile modification method of claim 1 wherein:

a first portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute said output function treatment in response to an entry point of said method being reached;

a second portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute

said output function treatment in response to an exit point of said method being inevitably reached; and,
a third portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute said output function treatment in response to an error arising during execution of said method.

12. The classfile modification method of claim 1 wherein at least one of said instructions invokes a second method of which said dispatch unit is comprised.

13. The classfile modification method of claim 12 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokestatic instruction.

14. The classfile modification method of claim 12 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokevirtual instruction.

15. The classfile modification method of claim 12 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokespecial instruction.

16. The classfile modification method of claim 12 wherein said second method references a dictionary that correlates a numeric identification of said method and said class to a location where said plug-in module is found.

17. The classfile modification method of claim 1 wherein said modifying of said classfile further comprises modifying a second method information structure by adding byte code instructions to said second method information structure's respective method, said byte code instructions to cause a second plug-in module's handler to execute output function treatment for said respective method.

18. The classfile modification method of claim 17 wherein said second method is a constructor.

19. The classfile modification method of claim 1 further comprising adding byte code level instructions that assign numeric names to said classfile's methods in lieu of character string names.

20. The classfile modification method of claim 19 wherein said numeric names are based upon the order in which said methods are listed in said classfile, each next method in said order having a numeric name equal to a fixed increment above the numeric name for its immediately preceding method in said order.

21. The classfile modification method of claim 20 wherein said byte code instructions for registering are configured to execute in response to said classfile being loaded.

22. A machine readable medium containing instructions which when executed cause a classfile modification method to be performed, said byte code modification method comprising:

modifying a classfile after said classfile has been compiled from source code, said classfile describing properties of a class within an object oriented environment, said modifying comprising:

modifying a method information structure by adding byte code instructions to the byte code instructions of said method information structure's respective method, said byte code instructions to cause a plug-in module's handler method to execute an output function for said method; and,

adding a method information structure that includes byte code instructions for registering the identities of said class and said method with a dispatch unit that is responsible for dispatching an invocation to said plug-in module during runtime execution of said modified byte code, said invocation directed to said dispatch unit from said added byte code instructions.

23. The machine readable medium of claim 22 wherein said identities are each in a character string format.

24. The machine readable medium of claim 23 wherein said modifying a classfile further comprises:

adding a field information structure, said field information structure describing a field that is to store a numeric identifier of said class.

25. The machine readable medium of claim 24 wherein said numeric identifier is provided to said class by a method of which said dispatch unit is comprised.

26. The machine readable medium of claim 22 wherein a portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to an entry point of said method being reached.

27. The machine readable medium of claim 26 wherein said output function treatment is a function selected from the group consisting of:

- 1) recording a time of entry for said method;
- 2) recording an input parameter value for said method; and,
- 3) incrementing a counter for said method.

28. The machine readable medium of claim 22 wherein a portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to an exit point of said method being inevitably reached.

29. The machine readable medium of claim 28 wherein said output function treatment is a function selected from the group consisting of:

- 1) recording a time of entry for said method;
- 2) recording an input parameter value for said method; and,
- 3) incrementing a counter for said method.

30. The machine readable medium of claim 28 wherein portions of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to any exit point of said method being inevitably reached.

31. The machine readable medium of claim 22 wherein a portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to provide said output function treatment in response to an error arising during execution of said method.

32. The machine readable medium of claim 22 wherein:

a first portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute said output function treatment in response to an entry point of said method being reached;

a second portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute said output function treatment in response to an exit point of said method being inevitably reached; and,

a third portion of said byte code instructions that are added to said method are for causing said plug-in module's handler method to execute said output function treatment in response to an error arising during execution of said method.

33. The machine readable medium of claim 22 wherein at least one of said instructions invokes a second method of which said dispatch unit is comprised.

34. The machine readable medium of claim 33 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokestatic instruction.

35. The machine readable medium of claim 33 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokevirtual instruction.

36. The machine readable medium of claim 33 wherein said byte code instructions are Java compatible and wherein said at least one of said instructions is an invokespecial instruction.

37. The machine readable medium of claim 33 wherein said second method references a dictionary that correlates a numeric identification of said method and said class to a location where said plug-in module is found.

38. The machine readable medium of claim 22 wherein said modifying of said classfile further comprises modifying a second method information structure by adding byte code instructions to said second method information structure's respective method, said byte code instructions to cause a second plug-in module's handler to execute output function treatment for said respective method.

39. The machine readable medium of claim 38 wherein said second method is a constructor.

40. The machine readable medium of claim 22 wherein said classfile modification method further comprises adding byte code level instructions that assign numeric names to said classfile's methods in lieu of character string names.

41. The machine readable medium of claim 40 wherein said numeric names are based upon the order in which said methods are listed in said classfile, each next method in said order having a numeric name equal to a fixed increment above the numeric name for its immediately preceding method in said order.

42. The machine readable medium of claim 41 wherein said byte code instructions for registering are configured to execute in response to said classfile being loaded.